

English Plant Pictures Pdf 1626

Gopanchanga

Plants Pictures and Spray Schedules

(From Dlog Technologies, Chennai - 600033)

Avoid Chemical Pesticides

Very High Yield

For Paddy Wheat and all Cereals

Spraying required once in 12 or 15 days



Avoid Chemical Pesticides

Very High Yield

For all Vegetables other than Brinjal (Egg plant)

Spraying required once in 10 or 12 days



Avoid Chemical Pesticides

Very High Yield

For Cluster beans and other Dhal variety plants, Crops

Spraying required once in 12 or 15 days



If plants are unhealthy or affected by Insects, Pests, Worms or suffering from Bacterial diseases or Viral diseases, spray 3 times only, once in every 7 days.

Avoid Chemical Pesticides

Very High Yield

**For Brinjal and other flower plants
Spraying required once in 7 or 8 days**



Avoid Chemical Pesticides

Very High Yield

**For Bengal Gram, Gingelly and other 90 days Crops
Spraying required once in 12 or 15 days**



Avoid Chemical Pesticides

Very High Yield

**For Ground nut, Sunflower and other Oil seed plants
Spraying required once in 12 or 15 days**



Avoid Chemical Pesticides

Very High Yield

**For onion, and other Root vegetables
Spraying required once in 12 or 15 days**



Avoid Chemical Pesticides

Very High Yield

**For Banana Pappaya and Cocoa plants
Spraying required once in 12 or 15 days**



Avoid Chemical Pesticides

Very High Yield

**For Coffee Tea and other Estate Plantations
Spraying required once in 12 or 15 days**



Avoid Chemical Pesticides

Very High Yield

For Coconut, Arcanut, Cocoa and Palm and all tall trees

Spraying required once in 15 or 30 days



Avoid Chemical Pesticides

Very High Yield

For Pomegranate, Guava and other fruit trees

Spraying required once in 15 or 30 days



Avoid Chemical Pesticides

Very High Yield

For Rose, Marigold and other flowering plants

Spraying required once in 7 or 8 days



Avoid Chemical Pesticides

Very High Yield

**For Ginger, Turmeric and other root vegetables
Spraying required once in 12 or 15 days**



Avoid Chemical Pesticides

Very High Yield

**For Sugarcane and other 1 year crops
Spraying required once in 15 or 20 days**



Avoid Chemical Pesticides

Very High Yield

**For Pumpkin and other Creeper Vegetables
Spraying required once in 12 or 15 days**



Avoid Chemical Pesticides

Very High Yield

For Karela, Snake guard, ridge guard and other creepers

Spraying required once in 12 or 15 days



Avoid Chemical Pesticides

Very High Yield

For Urad Dhal (Blackgram) Moong dhal and other Dhal

Spraying required once in 12 or 15 days



Avoid Chemical Pesticides

Very High Yield

For Lemon, Drumstick and other Vegetable trees

Spraying required once in 15 or 30 days



Avoid Chemical Pesticides

Very High Yield

For Corn, Sorgham and other Millet Crops

Spraying required once in 12 or 15 days



Avoid Chemical Pesticides

Very High Yield

For Carrot, Beetroot, Radish, Turnip etc.

Spraying required once in 12 or 15 days



Avoid Chemical Pesticides

Very High Yield

For Potato, Cauliflower etc.

Spraying required once in 12 or 15 days



Avoid Chemical Pesticides

Very High Yield

**For Coriander and other Leafy greens
Spraying required once in 10 or 12 days**



Avoid Chemical Pesticides

Very High Yield

**For Sapota, Amla and other Fruit trees
Spraying required once in 15 or 30 days**



Avoid Chemical Pesticides

Very High Yield

**For Apple, Pears and other Fruit trees
Spraying required once in 15 or 30 days**



Avoid Chemical Pesticides

Very High Yield

For Chilli, Cotton and other 6 months Crops

Spraying required once in 15 or 20 days



Avoid Chemical Pesticides

Very High Yield

For Water melon, Musk melon and other 60 days Crops

Spraying required once in 10 or 12 days



If plants are unhealthy or affected by Insects, Pests, Worms or suffering from Bacterial diseases or Viral diseases, spray 3 times only, once in every 7 days.